DATA DOCUMENTS/INFOS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222                UU    UU
GG         88    88    111     22    22              UU    UU
GG         88    88     11           222             UU    UU
GG  GGGG    888888      11         222                UU    UU
GG    GG   88    88     11       22                   UU    UU
GG    GG   88    88     11      22                    UU    UU
 GGGGGG    888888   11111111  22222222                 UUUUUU
```

CROSSTABS

DCON / GROCC / GGNSETR

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBZU

77/04/23. 18.46.51.

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1.0	1	6- 6
CONCL	F 1.0	1	7- 7
MR	F 1.0	1	8- 8
PAR	F 1.0	1	9- 9
PAE	F 1.0	1	10- 10
PAM	F 1.0	1	11- 11
DCON	F 1.0	1	13- 13
DCONCL	F 1.0	1	14- 14
DMR	F 1.0	1	15- 15
DPAR	F 1.0	1	16- 16
DPAE	F 1.0	1	17- 17
DPAM	F 1.0	1	18- 18
YCON	F 1.0	1	20- 20
YCONCL	F 1.0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
                MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
                               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
                               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
                               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
                               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
                               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
                               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
                               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
                               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
                               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
                               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
                               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
                               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
                MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
                               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
                               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
                               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
                               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
                               PRAGE(0,99)
                CROSSTABS      VARIABLES=DCON(0,7)/GROCC(0,18)/GENSER(0,5)/TABLES=DCON BY GROCC
                               BY GENSER
                STATISTICS     ALL
                READ INPUT DATA

044100 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

TRIAL RUN FOR THE PARLEMENT 77/04/23. PAGE 5

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY GROCC

CONTROLLING FOR.. GENSER VALUE.. 1 → FIRST TO SETRUG

* PAGE 1 OF 2

DCON \ GROCC	COUNT / ROW PCT / COL PCT / TOT PCT	1 PROV. PARL	3 COMPTES OU AIDES	4 HOUSEHOLD OFFICIAL	5 MUNICIPAL OFFICIGR	6 ROYAL FIN IN PARIS	7 ROYAL FIN IN PROV	8 Military	9 Jud. or Adm in Prov	10 BOURGEOIS	11 SEC. DU ROI	ROW TOTAL
2		0	0	1	1	0	1	0	1	8	0	16
1590-1599		0	0	6.3	6.3	0	6.3	0	6.3	50.0	0	8.6
		0	0	5.9	11.1	0	16.7	0	4.5	10.7	0	
		0	0	.5	.5	0	.5	0	.5	4.3	0	
3		0	3	2	2	0	0	3	3	6	3	26
1600-1609		0	11.5	7.7	7.7	0	0	11.5	11.5	23.1	11.5	14.1
		0	27.3	11.8	22.2	0	0	42.9	13.6	8.0	42.9	
		0	1.6	1.1	1.1	0	0	1.6	1.6	3.2	1.6	
4		1	1	3	1	1	1	1	3	12	0	28
1610-1619		3.6	3.6	10.7	3.6	3.6	3.6	3.6	10.7	42.9	0	15.1
		33.3	9.1	17.6	11.1	50.0	16.7	14.3	13.6	16.0	0	
		.5	.5	1.6	.5	.5	.5	.5	1.6	6.5	0	
5		0	1	3	3	0	3	3	6	12	2	38
1620-1629		0	2.6	7.9	7.9	0	7.9	7.9	15.8	31.6	5.3	20.5
		0	9.1	17.6	33.3	0	50.0	42.9	27.3	16.0	28.6	
		0	.5	1.6	1.6	0	1.6	1.6	3.2	6.5	1.1	
6		1	3	7	0	1	0	0	5	18	1	39
1630-1639		2.6	7.7	17.9	0	2.6	0	0	12.8	46.2	2.6	21.1
		33.3	27.3	41.2	0	50.0	0	0	22.7	24.0	14.3	
		.5	1.6	3.8	0	.5	0	0	2.7	9.7	.5	
7		1	3	1	2	0	1	0	4	19	1	38
1640-1650		2.6	7.9	2.6	5.3	0	2.6	0	10.5	50.0	2.6	20.5
		33.3	27.3	5.9	22.2	0	16.7	0	18.2	25.3	14.3	
		.5	1.6	.5	1.1	0	.5	0	2.2	10.3	.5	
COLUMN TOTAL		3	11	17	9	2	6	7	22	75	7	185
		1.6	5.9	9.2	4.9	1.1	3.2	3.8	11.9	40.5	3.8	100.0

(CONTINUED)

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY GROCC

CONTROLLING FOR.. GENSER VALUE.. 1 → FIRST TO SURVIVE

* * * * * * * * * * * * * * * * * * * \

ETA = .25100 WITH DCON DEPENDENT.
ETA = .15651 WITH GROCC DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DCON
CONTROLLING FOR.. BY GROCC
GENSER
VALUE.. 2 → ONE GENERATION

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DCON BY GROCC

CONTROLLING FOR.. GENSER VALUE.. 2 → ONE GENERATION

* * * * * * * * * * * * * * * * * * * \

ETA = .45315 WITH DCON DEPENDENT.
ETA = .10454 WITH GROCC DEPENDENT.

DATA DOCUMENTS/INC. 55-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON
BY GROCC
CONTROLLING FOR..
GENSER
VALUE.. 3

→ 2 generations

* * * * * * * * * * * * * * * * * * * \

ETA = .34331 WITH DCON DEPENDENT.
ETA = .37293 WITH GROCC DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY GROCC

CONTROLLING FOR.. GENSER

VALUE.. 4 → 3 generations

* * * * * * * * * * * * * * * * * * * \

ETA = .43503 WITH DCON DEPENDENT.
ETA = .76009 WITH GROCC DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DCON BY GROCC

CONTROLLING FOR..

GENSER VALUE.. 5 → 4 GENERATIONS

* * * * * * * * * * * * * * * * * * \

```
                    FINISH

RUN COMPLETED

NUMBER OF CONTROL CARDS READ  47
NUMBER OF ERRORS DETECTED   0
```

DATA DOCUMENTS/INC.—S3-192

UNIVERSITY OF COLORADO COMPUTING CENTER